Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3822	(print\$4 or record\$4) and (eject\$4 or jet\$4 or discharg\$4) and ((((electromechanical or electro-mechanical) or pressure) near3 (transducer\$1 or actuator\$1)) or piezoeletric\$1 or piezo-electric\$1) and ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6)) and (modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:26
12	800	1 and ((eject\$4 or jet\$4 or discharg\$4) same ((((electromechanical or electro-mechanical) or pressure) near3 (transducer\$1 or actuator\$1)) or piezoeletric\$1 or piezo-electric\$1) and ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6)) and ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) same (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:05
L3	106	2 and ((eject\$4 or jet\$4 or discharg\$4) same ((((electromechanical or electro-mechanical) or pressure) near3 (transducer\$1 or actuator\$1)) or piezoeletric\$1 or piezo-electric\$1) same ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6))) and ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) same (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:46

L4	24	3 and ((eject\$4 or jet\$4 or discharg\$4) same ((((electromechanical or electro-mechanical) or pressure) near3 (transducer\$1 or actuator\$1)) or piezoeletric\$1 or piezo-electric\$1) same ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6))) and ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) same (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4) same ((real adj time) or simultaneous\$4 or immediat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
L5	1	4 and ((eject\$4 or jet\$4 or discharg\$4) same ((((electromechanical or electro-mechanical) or pressure) near3 (transducer\$1 or actuator\$1)) or piezoeletric\$1 or piezo-electric\$1) same ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6))) and ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) same (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4) same ((real adj time) or simultaneous\$4 or immediat\$4)) and damp\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:31
L6	2	4 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
L7	14	(3 not 4) and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:58
L8	106	(3 not (4 and 7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:39
L9	694	2 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:46

L10	190	9 and ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6) same (modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) same (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:48
L11	17	10 and ((detect\$4 or measur\$4 or sens\$4) same (resistance or resistivity or impedance or capacit\$6) same (modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) same (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4) same (simultaneous\$4 or immediat\$4 or (real adj time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:57
L12	173	10 not 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:57
L13	55	12 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:58
L14	21	13 and "347"/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:00
L15	34	13 not 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:03
L16	118	12 not 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:03
L18	554	2 and (((detect\$4 or measur\$4 or sens\$4 or monitor\$4) with (resistance or resistivity or impedance or capacit\$6)) or ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) with (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4)) same (real adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:08

L19	2	18 and (((detect\$4 or measur\$4 or sens\$4 or monitor\$4) with (resistance or resistivity or impedance or capacit\$6)) same ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) with (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4)) same (real adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:09
L20	552	18 and (((detect\$4 or measur\$4 or sens\$4 or monitor\$4) with (resistance or resistivity or impedance or capacit\$6)) or ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) with (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4)) with (real adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:10
L21	1	18 and ((detect\$4 or measur\$4 or sens\$4 or monitor\$4) with (resistance or resistivity or impedance or capacit\$6) with (real adj time)) and ((modulat\$4 or correct\$4 or adjust\$4 or adapt\$4 or chang\$4) with (voltage\$1 or pulse\$1 or signal\$1 or waveform\$4) with (real adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:10
L23	193	20 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:29
L24	8	23 and "347"/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:24
L25	4	("4695852" "4743924" "4752790" "5170177").PN. OR ("6276774"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 15:22
L28	49	20 and "347"/19,17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:30